

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/720,016	11/20/2003	Lawrence W. Yonge III	04838-076001	2786	
26161 FISH & RICHA	7590 04/03/2007		EXAMINER		
P.O. BOX 1022			RIZK, SAMIR WADIE		
MINNEAPOLI	S, MN 55440-1022		ART UNIT PAPER NUMBER		
			2133		
			MAIL DATE	DELIVERY MODE	
			04/03/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

## Application No. Applicant(s) SUPPLEMENTAL Notice of Allowability YONGE ET AL. 10/720,016

Notice of Allowability	Examiner	Art Unit	
	Sam Rizk	2133	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. X This communication is responsive to 3/15/2007.			
2. X The allowed claim(s) is/are <u>1-13</u> .			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority uner</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>			
2. Certified copies of the priority documents have	-		
3. Copies of the certified copies of the priority do			tion from the
International Bureau (PCT Rule 17.2(a)).		3 11	
* Certified copies not received:	•		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	S AMENDMENT or N tion is deficient.	IOTICE OF
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) ☐ including changes required by the Notice of Draftspers  1) ☐ hereto or 2) ☐ to Paper No./Mail Date	on's Patent Drawing Review(PTO-	•	
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment of in the C	mice action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			e back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. I AL MATERIAL.	Note the
Attachment(s)	- =	A A A A SE	
1. Notice of References Cited (PTO-892)	<ol> <li>5. ☐ Notice of Informal P</li> <li>6. ☐ Interview Summary</li> </ol>		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Dat	e	
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. Examiner's Amendr		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	owance
	9.	_	
	Super Teo	ALBERT DECADYANGSORY PATENT EXP HNOLOGY CENTER 2	AMINER 2100

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)

Application/Control Number: 10/720,016

Art Unit: 2133

### SUPPLEMENTAL ACTION

- 1. The purpose of this supplemental allowance is to correct the following:
  - a) Cancel claims 14-18 in view of de Bruijn et al. US patent no. 5, 561,770 (Hereinafter Bruijn) and as agreed with Attorney Roger Lee and Albert Decady conference call on 3/15/2007.
- Below is the corrected allowance to replace the allowance filed on 1/10/2007

#### **DETAILED ACTION**

- Response to the applicant's amendment dated 10/10/2006 and conference call on 3/15/2007 with Attorney Roger Lee.
- Claims 1-18 have been submitted for examination
- Claims 1-13 have been allowed
- Claims 14-18 have been cancelled

#### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record attached to this office. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

3. Authorization for this examiner's amendment was given in a telephone interview with attorney Roger Lee on 3/15/2007 to cancel claims 14-18 in view of the potential rejection in view of Bruijn.

Page 3

Application/Control Number: 10/720,016

Art Unit: 2133

4. Cancel claims 14-18

## **Drawings Objections**

5. In view of the applicant amended drawings and specifications filed on 10/10/2006; all objections to the drawings are withdrawn.

### Response to Arguments

6. Applicant's arguments see pages 5-7, filed on 10/10/2006, with respect claim 1 to have been fully considered and are persuasive. Claims 1-13 rejections under section 35 USC § 102(e) of the office action filed on 6/5/2006 has been withdrawn.

#### **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

7. The prior Art of record and in particular Lim et al. US publication no. 2006/0041734 teaches an Ethernet switch associates addresses in a look-up table with received MAC addresses using a CRC algorithm, so that correspondence data about each MAC address can be stored in the corresponding section of the look-up table.

However, the prior art do not teach, suggest, or otherwise render obvious:

 A method of operating in a network in which a plurality of stations communicate over a shared medium, comprising Application/Control Number: 10/720,016

Art Unit: 2133

- transmitting a group of bits from a transmitting station to a receiving station, wherein the group of bits comprises information bits and error checking bits;
- communicating additional bits from the transmitting station to
  the receiving station without transmitting the additional bits, the
  communicating of the additional bits comprises
- at the transmitting station, deriving the error checking bits from
   the additional bits using an error checking process; and
- at the receiving station, using the same or a related error

  checking process to process candidate bits known to the

  receiving station, and comparing the output of the error

  checking process to the error checking bits received from the

  transmitting station to determine if the candidate bits correspond

  to the additional bits.

As disclosed in claim 1.

8. Claims 2-13 depend from claim 1.

#### Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Rizk whose telephone

Art Unit: 2133

number is (571) 272-8191. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronics Business Center (EBC) at 866-217-9197 (toll-free)

Sam Rizk, MSEE, ABD

12/0

Examiner

ART UNIT 2133

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2106